

Supply Schedules

2015

Ventilation

No. 129783 - Valid from 01.03.2015
Suggested sales prices. V.A.T. excluded.

This price list is valid from 01.03.2015 and until the publication date of the subsequent list. Note: our price lists are regularly updated at short notice. Please make sure you have the current price list before you order by calling us (+49-(0)40-547 02-0) or by using your customer log-in to check our Web site (www.weinmann.de). All previously issued price lists lose their validity as of the publication date of the newest price list. We reserve the right to make changes to designs and equipment, especially those resulting from ongoing development of new production series, without prior notice. WEINMANN is entitled to exclusive use of any and all forms of copyright related to this publication unless it grants express permission to another party.

A minimum quantity surcharge of 10 € applies to deliveries in foreign countries with a total value of less than 300 €.

Table of Contents

	Page
Ventilation	3
Ventilation Therapy Sets	3
Accessories VENTIllogic LS, VENTIllogic plus, VENTImotion 2	11
Accessories prisma30ST/ 30ST-C	14
Oxygen Accessories Ventilation	16
Replacement Parts Ventilation	17
Software	20
Instructions for use	21
Flat fee for re-assignment or change of patients	27
Flat rate maintenance	27
Maintenance and Safety Checks	28

Ventilation

Ventilation Therapy Sets

VENTIlogic LS next generation

WM 27940

VENTIlogic LS, ventilator
leakage ventilation from SN 15.000
consisting of:
VENTIlogic LS, basic device (WM 27951)
Power cord (WM 24177)
Protective bag for VENTIlogic LS/ VENTIlogic plus
(WM 27106)
Test adapter, packed (WM 27140)
Set, conversion to leakage ventilation, packed
(WM15545) consisting of:
- adapter, leakage ventilation (WM 27122)
- drying adapter (WM 24203)
- patient circuit (WM 24130)
Information and spare parts set (WM 15494)
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-coupling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)

WM 27950

VENTIlogic LS, ventilator
single patient circuit with patient valve,
from SN 15.000
consisting of:
VENTIlogic LS basic device (WM 27951)
Power cord (WM 24177)
Protective bag for VENTIlogic LS/ VENTIlogic plus
(WM 27106)
Single patient circuit valve ventilation (WM 27181)
Test adapter, packed (WM 27140)
Adapter leakage ventilation, packed (WM 27199)
Information and spare part set (WM 15494)
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)

WM 27960

VENTIlogic LS, ventilator
double patient circuit with patient valve
from SN 15.000
consisting of:
VENTIlogic LS basic device (WM 27951)
power cord (WM 24177)
Protective bag for VENTIlogic LS/ VENTIlogic plus
(WM 27106)
Set, conversion to double patient circuit with
patient valve, packed (WM 15546) consisting of:
- exhalation module, packed (WM 27185)
- double patient circuit with patient valve
(WM 27182)
Test adapter, packed (WM 27140)
Adapter, leakage ventilation, packed (WM 27199)
Information and spare part set (WM 15494),
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)

WM 27970

VENTIlogic LS, ventilator
hospital from SN 15.000
consisting of:
VENTIlogic LS basic device (WM 27951)
Power cord (WM 24177)
Protective bag for VENTIlogic LS/ VENTIlogic plus
(WM 27106)
Single patient circuit valve ventilation
(WM 27181)
Patient circuit, Leakage ventilation, sterilizable
(WM 24120)
Set, conversion to double patient circuit with
patient valve, packed (WM 15546) consisting of:
- exhalation module, packed (WM 27185)
- double patient circuit with patient valve
(WM 27182)
Test adapter, packed (WM 27140)
Adapter, leakage ventilation, packed (WM 27199)
Drying adapter (WM 24203)
Information and spare part set (WM 15494),
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O₂-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)
Set, O₂-measurement (WM15732) consisting of:
- connection cable for O₂ sensor (WM 27792)
- O₂ sensor (WM 27128)
- T-piece, O₂ sensor (WM 27143)
Bacteria filter, leakage ventilation (WM 24148)
Bacteria filter, valve ventilation (WM 24476)

VENTIllogic plus next generation

WM 27980

VENTIllogic plus, ventilator
leakage ventilation from SN 15.000
consisting of:
VENTIllogic plus, basic device (WM 27991)
Power cord (WM 24177)
Protective bag for VENTIllogic LS/ VENTIllogic plus (WM 27106)
Set, conversion to leakage ventilation, packed
consisting of (WM 15545):
- adapter, leakage ventilation (WM 27122)
- drying adapter (WM 24203)
- patient circuit (WM 24130)
Information and spare part set (WM 15494)
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)

WM 27990

VENTIllogic plus, ventilator
single patient circuit with patient valve,
from SN 15.000
consisting of:
VENTIllogic plus basic device (WM 27991)
Power cord (WM 24177)
Protective bag for VENTIllogic LS/ VENTIllogic plus (WM 27106)
Single patient circuit valve ventilation
(WM 27181)
Test adapter, packed (WM 27140)
Adapter leakage ventilation, packed (WM 27199)
Information and spare part set (WM 15494)
consisting of:
- coarse dust filter (WM 24880)
- fine filter, packed (WM 15026)
- coarse dust filter, fan (WM 27759)
- O2-cuppling (WM 27166)
- Allen wrench, size 3 (WM 24708)
- patient passport (WM 66810)

	VENTImotion 2
WM 27800	<p>VENTImotion 2 intelligent ST ventilator consisting of: VENTImotion 2 basic device (WM 27810) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Patient passport (WM 66810)</p>
WM 27820	<p>VENTImotion 2 intelligent ST ventilator with oxygen valve VENTI-O2 plus consisting of: VENTImotion 2 basic device (WM 27810) VENTI-O2 plus, oxygen valve, clicks into place (WM 27200) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Patient passport ventilation, DE (WM 66810)</p>
WM 27830	<p>VENTImotion 2 intelligent ST ventilator with humidifier VENTIClick consisting of: VENTImotion 2 basic device (WM 27810) VENTIClick , humidifier, clicks into place (WM 24365) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Patient passport ventilation, DE (WM 66810)</p>

WM 27840	<p>VENTImotion 2 intelligent ST ventilator with external battery pack VENTIpower consisting of: VENTImotion 2 basic device (WM 27810) VENTIpower, external battery pack for mobile power supply (WM 27630) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Patient passport ventilation, DE (WM 66810)</p>
WM 27850	<p>VENTImotion 2 intelligent ST ventilator with oxygen valve VENTI-O2 plus, humidifier VENTIClick and external battery pack VENTIpower consisting of: VENTImotion 2 basic device (WM 27810) VENTI-O2 plus, oxygen valve, clicks into place (WM 27200) VENTIClick, humidifier, clicks into place (WM 24365) VENTIpower, external battery pack for mobile power supply (WM 27630) Tube system, can be disinfected (WM 24130) Drying adapter (WM 24203) Carrying bag (WM 24995) Power cord (WM 24177) Power supply unit (WM 27804) Coarse dust filter, single (WM 24880) Fine filter, packed (WM 15026) Patient passport ventilation, DE (WM 66810)</p>

prisma30ST

WM 29930-2110

prisma30ST BiLevel ST Therapy Set,
Type WM 100 TD

Supply Schedule:

- prisma30ST basic device (WM 29936)
- prismaBAG premium, carrying bag (WM 29977)
- Breathing tube, 22 mm (WM 24445)
- Power supply unit (WM 29657)
- Power cord (WM 24133)
- Set of 2 air filters (WM 29928)
- SD card (WM 29794)
- Mailing pouch for SD card (WM 29779)

WM 29930-2111

prisma30ST with prismaAQUA BiLevel ST Therapy
Set, Type WM 100 TD with humidifier type WM
100 TH

Supply Schedule:

- prisma30ST basic device (WM 29936)
- prismaBAG premium, carrying bag (WM 29977)
- Breathing tube, 19 mm (WM 24445)
- Power supply unit (WM 29657)
- Power cord (WM 24133)
- Set of 2 air filters (WM 29928)
- SD card (WM 29794)
- Mailing pouch for SD card (WM 29779)
- prismaAQUA, humidifier (WM 29680)

prisma30ST-C

WM 29940-1110

prisma30ST-C, BiLevel ST Therapy Set
type WM 100 TD

Supply Schedule:

- prisma30ST-C basic device (WM 29942)
- prismaBAG basic, carrying bag (WM 29659)
- Breathing tube, 22 mm (WM 24445)
- Power supply unit (WM 29657)
- Power cord (WM 24133)
- Set of 2 air filters (WM 29928)
- SD card (WM 29794)
- Mailing pouch for SD card (WM 29779)

WM 29940-1111

prisma30ST-C with prismaAQUA BiLevel ST
Therapy Set, Type WM 100 TD with humidifier type
WM 100 TH

Supply Schedule:

- prisma30ST-C basic device (WM 29942)
- prismaBAG basic, carrying bag (WM 29659)
- Breathing tube, 19 mm (WM 24445)
- Power supply unit (WM 29657)
- Power cord (WM 24133)
- Set of 2 air filters (WM 29928)
- SD card (WM 29794)
- Mailing pouch for SD card (WM 29779)
- prismaAQUA, humidifier (WM 29680)

Accessories VENTIllogic LS, VENTIllogic plus, VENTImotion 2

WM 27951	VENTIllogic LS, basic device
WM 27991	VENTIllogic plus, basic device
WM 27810	VENTImotion 2, basic device
WM 24120	Set, tube system for clinic consisting of: - creased tube, can be sterilized (WM 24122) - pressure measurement tube (WM 24038) - adapter tube (WM 24123) - pressure connector (WM 24129) - sealing plugs (2x) (WM 24115)
WM 24130	Set, patient circuit, consisting of: - creased tube, can be disinfected (WM 24108) - pressure measurement tube (WM 24038) - adapter tube (WM 24123) - pressure connector (WM 24129) - 2 sealing plugs (WM 24115)
WM 23370	Hose system (leakage) for third-party humidifier
WM 27181	Single patient circuit valve ventilation for VENTIllogic LS/ plus
WM 27182	Double patient circuit with patient valve for VENTIllogic LS/ plus
WM 27062	Patient circuit with external pressure measurement tube, 22mm, disposable for VENTIllogic LS/ plus
WM 27071	Patient circuit, 22mm, disposable for VENTImotion 2, VENTIllogic LS/ plus
WM 27063	Single patient circuit valve system, 22mm for VENTIllogic LS/ plus
WM 27064	Single patient circuit valve system, 15 mm for VENTIllogic LS/ plus
WM 27067	Double patient circuit valve system, 22mm, disposable, for VENTIllogic LS
WM 27068	Double patient circuit valve system, 15mm disposable, for VENTIllogic LS
WM 27184	Exhalation valve for double patient circuit
WM 15545	Set, conversion to leakage ventilation, packed consisting of: - adapter, leakage ventilation (WM 27122) - drying adapter (WM 24203) - patient circuit (WM 24130)
WM 15546	Set, conversion to double patient circuit with patient valve, packed, VENTIllogic LS consisting of: - exhalation module, packed (WM 27185) - double patient circuit with patient valve (WM 27182)

WM 24200	VENTI-O2, 4l oxygen valve, clicks into place, including hose system for O2 Valve VENTI-O2 (WM 23737) (for VENTI-motion, VENT-motion 2, VENTlogic, BiLevel ST 22)
WM 23737	Tube system for O2 Valve (WM 24042) and VENTI-O2 (WM 24200), can be disinfected
WM 27200	VENTI-O2 plus, 15l Oxygen valve for VENTI-motion/ VENTlogic (from SN 4000), VENTI-motion 2
WM 27280	SpO2module consisting of: connection cable 1m (WM 27278) softtip sensor, size M (WM 35533)
WM 15732	Set, O2 measurement consisting of: - connection cable for O2 sensor (WM 27792) - O2 sensor (WM 27128) - T-piece, O2 sensor (WM 27143)
WM 27880	Replaceable battery VENTlogic LS/ plus (from serial no. 10.000)
WM 24365	VENTIclick humidifier, clicks into place
WM 27630	VENTIpower external rechargeable battery for mobile power supply (f. BiLevel ST 22, VENTI-motion, VENTI-motion 2, VENTlogic)
WM 27745	VENTIremote alarm, 10m cable
WM 27755	VENTIremote alarm, 30m cable
WM 27780	Connection cable, nurse call 10m
WM 27790	Connection cable, nurse call 30m
WM 27853	Leakage adapter for standard cone 22mm (for VENTlogic plus/ VENTlogic LS)
WM 15880	Clinic adapter (for VENTI-motion2, VENTI-motion, VENTlogic, VENTlogic LS, VENTlogic plus)
WM 24148	Bacteria filter, packed (leakage ventilation) with 10 particle filters (WM 24147)
WM 24476	Bacteria filter (valve ventilation)
WM 27560	Analogbox D/A, including power supply unit for PSG connection
WM 27561	Analogbox D/A without power supply unit
WM 95090	Power supply unit
WM 93321	Converter cable USB-RS/485, complete
WM 24037	PSG connection cable for Weinmann
WM 23904	PSG connection cable for H+L / Respirationics
WM 23908	PSG connection cable for Viasys (Jaeger)
WM 23929	PSG connection cable for MAP

WM 23941	PSG connection cable for Stimotron
WM 23976	PSG connection cable, generic
WM 27976	Water-resistant transport bag for mobile usage of VENTIllogic LS/ plus
WM 27996	Bag for replaceable battery (WM 27880) VENTIllogic LS/ plus
WM 24888	Transport bag VENTImotion/ VENTIllogic
WM 24995	Transport bag VENTImotion 2/ BiLevel ST 22
WM 23018	Transport bag VENTIpower
WM 15901	Retrofit Set Keredusy
WM 27860	Trolley for VENTI-line
WM 24824	Address card for transport bag VENTImotion/ VENTIllogic
WM 24996	Address card for transport bag VENTImotion 2/ BiLevel ST 22
WM 24585	Address card for VENTIpower transport bag
WM 27140	Test adapter, packed (VENTIllogic LS)
WM 24616	12V power inverter
WM 24617	24V power inverter

Accessories prisma30ST/ 30ST-C

WM 29680	prismaAQUA, Humidifier for prismaLINE Therapy Devices type WM 100 TH consists of: - Upper part of housing (WM 29681) - Lower part of housing (WM 29682) - Humidifier insert (WM 29683) - Heater rod
WM 24445	Breathing tube, 22 mm
WM 24667	Breathing tube 22 mm, autoclavable
WM 29988	Breathing tube, 15 mm
WM 29067	prismaHYBERNITE heated breathing tube for prisma therapy devices from SN 5.000
WM 29045	HYBERNITE Superday heated breathing tube system for SOMNObalance e, SOMNOsoft 2e, SOMNOcomfort 2e and prisma < serial no. 5.000 Supply schedule: - HYBERNITE Superday heated breathing tube (WM 29037) - power supply unit and main power cable
WM 29036	HYBERNITE Power Pal On-/OFF switch for HYBERNITE Superday heated breathing tube system
WM 29037	HYBERNITE Superday heated breathing tube (replacement tube for WM 29045)
WM 24476	Bacteria filter (valve ventilation)
WM 29652	Set of 12 Pollen filters
WM 29928	Set of 2 air filters
WM 29659	prismaBAG basic, carrying bag
WM 29977	prismaBAG premium, carrying bag
WM 29978	prismaBAG butler, Transporttasche
WM 29794	SD Card
WM 29779	Mailing pouch for SD card
WM 29780	Set mailing flap for SD memory card (50 x WM 29779)
WM 29631	Device outlet for WM 100TD
WM 29622	Device cover for WM 100TD
WM 24616	12V power inverter
WM 24617	24V power inverter
WM 29657	Power supply unit for WM 100TD
WM 24133	Power cord europe type C
WM 35160	Micro USB data cable
WM 24177	Power cord Ventilation and prismaLABset
WM 35151	PSG connection cable HL
WM 35152	PSG connection cable Weinmann
WM 35153	PSG connection cable jack 3,5 mm

WM 35154	PSG connection cable jack 2.5 mm
WM 35155	PSG connection cable universal
WM 29696	Connecting cable PSG module
WM 98273	Network cable
WM 29047	Set cable adapter SOMNO, prisma
WM 95321	Powerline adapter, starter kit
WM 93335	prismaTS software, complete with micro USB data cable consists of: - prismaTS software (WM 93331) - Micro USB data cable (WM 35160)
WM 29690	prismaPSG, PSG module consists of: - prismaPSG basic device (WM 29691) - Connection cable PSG module (WM 29696)
WM 29670	prismaCONNECT, Communication module

Oxygen Accessories Ventilation

WM 15870	Set, Accessory VisionAire supply schedule: Bubble humidifier (WM 12825) Connection hose for VisionAire with fire safe cannula, 15m (WM 13371) Nasal cannula for adults, two-pronged with harness and 1,5 m connection hose (WM 1929)
WM 12825	Bubble humidifier
WM 1929	Nasal cannula for adults, two-pronged with harness and 1,5 m connection hose (nasal cannula)

The article contains the following substances included on the candidate list according to article 59 (1, 10) of Regulation (EC) No 1907/2006 (REACH) in a concentration above 0.1 % weight by weight:
DEHP (CAS No. 117-81-7, EC No. 204-211-0)
The packaging materials contain no substances included on the candidate list in a concentration above 0.1 % weight by weight.

WM 13371	Connection hose for VisionAire with fire safe cannula valve, 15m
WM 1ASTU255-1	Connection hose humidifier VisionAire

Pressure Reducer for central gas systems

OXYWAY Click

WM 31030	OXYWAY Click Flow dosage setting knob for central gas system in emergency vehicles, clicks into place at settings for 1, 2, 3, 4, 5, 6, 9, 12, 15 L/min, with DIN connector (DIN 13260), incl. one (1) connection nozzle with swivel nut, straight, Ø 6 mm, UNF 9/16 (WM 31122)
WM 31040	OXYWAY Click Flow dosage setting knob for central gas facility in emergency vehicles, clicks into place at settings for 1, 2, 3, 4, 5, 6, 9, 12, 15 L/min, with AGA connector, incl. one (1) connection nozzle with swivel nut, straight, Ø 6 mm, UNF 9/16 (WM 31122)

Replacement Parts Ventilation

WM 27759	Coarse dust filter, fan
WM 24880	Coarse dust filter, device inlet port
WM 15026	Fine filter (WM 24870), packed
WM 24148	Bacteria filter, packed (leakage ventilation) with 10 particle filters (WM 24147)
WM 24147	Particle filter for bacteria filter (1 piece)
WM 15584	Set I Particle filter (10 of WM 24147)
WM 15576	Set II Particle filter (100 of WM 24147)
WM 15577	Set III Particle filter (500 of WM 24147)
WM 15720	Set of year's supply of spare filters, packed (3x fine filters, 2x coarse filters, 2x coarse dust filters for fan)
WM 15682	One-year supply set of replacement filters, packed, (3 fine filters WM 24870, 2 coarse dust filters WM 24880)
WM 24177	Power cord Ventilation and prismaLABset
WM 27804	Power supply unit VENTI-motion 2
WM 27166	O2-coupling
WM 35532	softright sensor SpO2module, size S
WM 35533	softright sensor SpO2module, size M
WM 35534	softright sensor SpO2module, size L
WM 27278	Connection cable 1m
WM 27106	Protective bag for VENTIlogic LS/ VENTIlogic plus
WM 24386	Heating rod VENTIconclick
WM 24180	Filter cover
WM 24368	Upper part of housing VENTIconclick, pre-assembled
WM 24388	Lower part of housing VENTIconclick
WM 24378	Filling stopper
WM 24394	Bellows (VENTI-O2 plus)

The article contains the following substances included on the candidate list according to article 59 (1,10) of Regulation (EC) No 1907/2006 (REACH) in a concentration above 0.1% weight by weight:
 DEHP (CAS No. 117-81-7, EC No. 204-211-0)
 The packaging materials contain no substances included on the candidate list in a concentration above 0.1% weight by weight.

WM 23046	Connection cable, black (VENTIpower f. Bilevel ST 22, Vmotion, Vmotion 2, Vlogic)
WM 23044	Connection cable 24V, grey (VENTIpower for VENTIlogic LS / VENTIlogic plus up to SN 9.999)

partner for life

WEINMANN
medical technology

No. 129783 - Valid from 01.03.2015

Suggested sales prices. V.A.T. excluded.

WM 27199 Adapter leakage ventilation, packed

WM 15739	Set, adapter for valve ventilation, packed consisting of: - adapter, valve ventilation (WM 27738) - cylinder bold M4 (WM 50605)
WM 27738	Adapter, valve ventilation
WM 27185	Exhalation module, packed (VENTIlogic LS)
WM 27792	Conncting calbe for O2 sensor
WM 27128	O2 sensor
WM 27143	T-piece, O2 sensor
WM 27758	Connection cable 30m, VENTIremote alarm
WM 27789	Connection cable 10m, VENTIremote alarm
WM 24122	Spiral tube, can be sterilized
WM 24108	Spiral tube, can be disinfected
WM 24123	Adapter tube
WM 24115	Sealing plug for pressure measurement tube
WM 24038	Pressure measurement tube
WM 24129	Pressure connector
WM 24203	Drying adapter
WM 24708	Allen wrench, size 3
WM 27731	Sealing plug (Cover SD card VENTIlogic LS/ plus)

Software

WM 93305	WEINMANNsupport PC Software for setting and analysis of WEINMANN ventilation and sleep therapy devices with converter cable USB-RS/485 consists of: - WEINMANNsupport, PC Software (WM 93301) - Converter cable USB-RS/485, complete (WM 93321)
WM 27220	Set Weinmann Update-Tool Supply Schedule: CD Weinmann Update-Tool (WM 27221) Converter cable USB-RS485 Connection cable full duplex
WM 93308	Connection cable full duplex
WM 93319	Connection cable, 1.5 m for Converter cable USB-RS485

Instructions for use

WM 67780	Instructions for use VENTIllogic LS, VENTIllogic plus, DE from SN 15.000
WM 67781	Instructions for use VENTIllogic LS, VENTIllogic plus, EN from SN 15.000
WM 67782	Instructions for use VENTIllogic LS, VENTIllogic plus, FR from SN 15.000
WM 67783	Instructions for use VENTIllogic LS, VENTIllogic plus, IT from SN 15.000
WM 67784	Instructions for use VENTIllogic LS, VENTIllogic plus, NL from SN 15.000
WM 67785	Instructions for use VENTIllogic LS, VENTIllogic plus, PL from SN 15.000
WM 67786	Instructions for use VENTIllogic LS, VENTIllogic plus, SV from SN 15.000
WM 67787	Instructions for use VENTIllogic LS, VENTIllogic plus, TR from SN 15.000
WM 67788	Instructions for use VENTIllogic LS, VENTIllogic plus, EL from SN 15.000
WM 67789	Instructions for use VENTIllogic LS, VENTIllogic plus,RU from SN 15.000
WM 67790	Instructions for use VENTIllogic LS, VENTIllogic plus, ZH from SN 15.000
WM 67791	Instructions for use VENTIllogic LS, VENTIllogic plus, ES from SN 15.000
WM 67792	Instructions for use VENTIllogic LS, VENTIllogic plus, PT from SN 15.000
WM 67793	Instructions for use VENTIllogic LS, VENTIllogic plus, DA from SN 15.000
WM 67550	Instructions for use VENTIllogic LS, VENTIllogic plus, DE from SN 10.000
WM 67551	Instructions for use VENTIllogic LS, VENTIllogic plus, EN from SN 10.000

WM 67552	Instructions for use VENTIllogic LS, VENTIllogic plus, FR from SN 10.000
WM 67553	Instructions for use VENTIllogic LS, VENTIllogic plus, IT from SN 10.000
WM 67554	Instructions for use VENTIllogic LS, VENTIllogic plus, NL from SN 10.000
WM 67555	Instructions for use VENTIllogic LS, VENTIllogic plus, PL from SN 10.000
WM 67556	Instructions for use VENTIllogic LS, VENTIllogic plus, SV from SN 10.000
WM 67557	Instructions for use VENTIllogic LS, VENTIllogic plus, TR from SN 10.000
WM 67558	Instructions for use VENTIllogic LS, VENTIllogic plus, EL from SN 10.000
WM 67559	Instructions for use VENTIllogic LS, VENTIllogic plus, RU from SN 10.000
WM 67561	Instructions for use VENTIllogic LS, VENTIllogic plus, ES from SN 10.000
WM 67562	Instructions for use VENTIllogic LS, VENTIllogic plus, PT from SN 10.000
WM 67563	Instructions for use VENTIllogic LS, VENTIllogic plus, DA from SN 10.000
WM 66091	Instructions for use VENTIllogic, EN
WM 66092	Instructions for use VENTIllogic, FR, IT, NL
WM 67010	Instructions for use VENTImotion 2, DE
WM 67011	Instructions for use VENTImotion 2, EN
WM 67012	Instructions for use VENTImotion 2, FR, IT, NL
WM 67013	Instructions for use VENTImotion 2, RU
WM 67014	Instructions for use VENTImotion 2, ZN
WM 16836	Instructions for use VENTImotion, DE
WM 16837	Instructions for use VENTImotion, FR, IT, NL
WM 16838	Instructions for use VENTImotion, EN, ES, PL
WM 16839	Instructions for use VENTImotion, SV, DA, NO
WM 16882	Instructions for use VENTImotion, FI, EL, RU
WM 67800	Instructions for use for hospital staff VENTIllogic LS, VENTIllogic plus, DE from SN 15.000

WM 67801	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, EN from SN 15.000
WM 67802	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, FR from SN 15.000
WM 67803	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, IT from SN 15.000
WM 67804	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, NL from SN 15.000
WM 67805	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, PL from SN 15.000
WM 67806	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, SV from SN 15.000
WM 67807	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, TR from SN 15.000
WM 67808	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, EL from SN 15.000
WM 67809	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, RU from SN 15.000
WM 67810	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, ZH from SN 15.000
WM 67811	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, ES from SN 15.000
WM 67812	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, PT from SN 15.000
WM 67813	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, DA from SN 15.000
WM 67570	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, DE from SN 10.000
WM 67571	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, EN from SN 10.000
WM 67572	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, FR from SN 10.000
WM 67573	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, IT

	from SN 10.000
WM 67574	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, NL from SN 10.000
WM 67577	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, TR from SN 10.000
WM 67581	Instructions for use for hospital staff VENTIlogic LS, VENTIlogic plus, ES from SN 10.000
WM 67020	Instructions for use for hospital staff VENTImotion 2, DE
WM 67021	Instructions for use for hospital staff VENTImotion 2, EN
WM 67022	Instructions for use for hospital staff VENTImotion 2, FR
WM 67023	Instructions for use for hospital staff VENTImotion 2, NL
WM 67024	Instructions for use for hospital staff VENTImotion 2, IT
WM 24805	CD-Rom with instructions for use for hospital staff VENTImotion/VENTIlogic (only for medical and technical personnel)
WM 16919	Instructions for use for hospital staff VENTImotion, NO
WM 67620	Brief operating instructions VENTIlogic LS, VENTIlogic plus, DE from SN 15.000
WM 67621	Brief operating instructions VENTIlogic LS, VENTIlogic plus, EN from SN 15.000
WM 67622	Brief operating instructions VENTIlogic LS, VENTIlogic plus, FR from SN 15.000
WM 67590	Brief operating instructions VENTIlogic LS, VENTIlogic plus, DE from SN 10.000
WM 67591	Brief operating instructions VENTIlogic LS, VENTIlogic plus, EN from SN 10.000
WM 67592	Brief operating instructions VENTIlogic LS, VENTIlogic plus, FR from SN 10.000
WM 67030	Brief operating instructions VENTImotion 2, DE
WM 67031	Brief operating instructions VENTImotion 2, EN
WM 67032	Brief operating instructions VENTImotion 2, FR
WM 16833	Brief operating instructions VENTImotion/VENTIlogic, DE
WM 16834	Brief operating instructions VENTImotion/VENTIlogic, EN

WM 16835	Brief operating instructions VENTImotion/VENTIlogic, FR
WM 67840	Instructions for use prisma20C/20A/CR/25S/ 25S-C/25ST/30ST/30ST-C/LAB/AQUA, DE
WM 67841	Instructions for use prisma20C/20A/CR/25S/ 25S-C/25ST/30ST/30ST-C/LAB/AQUA, EN
WM 67842	Instructions for use prisma20C/20A/CR/25S/ 25S-C/25ST/30ST/30ST-C/LAB/AQUA, FR
WM 67843	Instructions for use prisma20C/20A/CR/25S/ 25S-C/25ST/30ST/30ST-C/LAB/AQUA, NL
WM 67844	Instructions for use prisma20C/20A/CR/25S/ 25S-C/25ST/30ST/30ST-C/LAB/AQUA, IT
WM 67845	Instructions for use prisma20C/20A/CR/25S/ 25S-C/25ST/30ST/30ST-C/LAB/AQUA, TR
WM 67846	Instructions for use prisma20C/20A/CR/25S/ 25S-C/25ST/30ST/30ST-C/LAB/AQUA, RU
WM 67847	Instructions for use prisma20C/20A/CR/25S/ 25S-C/25ST/30ST/30ST-C/LAB/AQUA, ZH
WM 67848	Instructions for use prisma20C/20A/CR/25S/ 25S-C/25ST/30ST/30ST-C/LAB/AQUA, JA
WM 67870	Patient compass prismaLINE, DE
WM 67871	Patient compass prismaLINE, EN
WM 67872	Patient compass prismaLINE, FR
WM 67900	Additional information for experts prismaLINE, DE
WM 67901	Additional information for experts prismaLINE, EN
WM 67902	Additional information for experts prismaLINE, FR
WM 67903	Additional information for experts prismaLINE, NL
WM 67940	Instructions for use prismaCONNECT DE, EN, FR
WM 67960	Instructions for use prismaPSG DE, EN, FR
WM 16858	Instructions for use VENTIclick, DE
WM 16859	Instructions for use VENTIclick, FR, IT, NL
WM 16871	Instructions for use VENTIclick, SV, DA, NO
WM 16872	Instructions for use VENTIclick, EN, ES, PL
WM 16873	Instructions for use VENTIclick, FI, EL, RU
WM 16325	Instructions for use VENTIpower, DE
WM 16365	Instructions for use VENTIpower, FR, IT, NL
WM 16367	Instructions for use VENTIpower, EN, ES, PL
WM 16366	Instructions for use VENTIpower, SV, DA, NO
WM 16368	Instructions for use VENTIpower, FI, EL, RU
WM 66830	Instructions for use VENTI-O2 plus, DE
WM 66831	Instructions for use VENTI-O2 plus, EN
WM 66832	Instructions for use VENTI-O2 plus, FR, IT, NL
WM 16849	Instructions for use VENTI-O2, DE
WM 16874	Instructions for use VENTI-O2, FR, IT, NL
WM 16875	Instructions for use VENTI-O2, EN, ES, PL

WM 16876	Instructions for use VENTI-O2, SV, DA, NO
WM 16889	Instructions for use VENTI-O2, FI, EL, RU
WM 66730	Instructions for use VENTlremote alarm, DE
WM 66731	Instructions for use VENTlremote alarm, EN
WM 66732	Instructions for use VENTlremote alarm, FR, NL, IT
WM 66818	Instructions for use Connection cable for nurse call, DE, EN, FR, NL, IT
WM 66400	Instructions for use Analogbox, D/A, DE
WM 66401	Instructions for use Analogbox D/A, EN
WM 66402	Instructions for use Analogbox D/A, FR, IT, NL
WM 96112	Instruction for use WEINMANNsupport, DE
WM 96113	Instructions for use WEINMANNsupport, EN
WM 96114	Instruction for use WEINMANNsupport, FR, NL, IT
WM 66810	Patient passport ventilation, DE
WM 1ASMN137-1	Instructions for use VisionAire, international
WM 67610	Instructions for use VisionAire, tr (only pdf, Internet: www.weinmann.de)
WM 16885	Instruction for use OXYWAY Click, DE
WM 16887	Instruction for use OXYWAY Click, NL, IT, FR
WM 16888	Instruction for use OXYWAY Click, EN, ES, PT

Flat fee for re-assignment or change of patients

WM 9980142	Flat fee for VENTIllogic/ VENTImotion Re-use/Patient change
WM 9980235	Flat fee for VENTImotion 2 Re-use/Patient change
WM 9980312	Flat fee for VENTIllogic LS/ VENTIllogic plus Re-use/Patient change

Flat rate maintenance

WM 9980274	Basic flat fee for maintenance and safety check VENTIllogic LS/ plus 8000 hrs / 2 years - includes scheduled replacement of parts subject to wear and tear and final inspection -
WM 9980277	Flat fee for replacement of additional parts - 16,000 hrs. VENTIllogic LS/ plus - includes scheduled replacement of parts subject to wear and tear blower and peep valve control-
WM 9980275	Flat fee for replacement of additional parts - 2 years VENTIllogic LS/ plus rechargeable battery a. battery 3V till SN 9.999 - includes scheduled replacement of parts subject to wear and tear and labor costs -
WM 9980276	Flat fee for replacement of additional parts - every 2 years VENTIllogic LS/ plus rechargeable battery a. battery 3V from SN 10,000 - includes scheduled replacement of parts subject to wear and tear and labor costs -
WM 9980270	Basic flat fee for maintenance and STK VENTImotion/ motion 2/ logic/ BiLevel ST 22 5000 hrs./2 years or 15,000 hrs. - includes scheduled replacement of parts subject to wear and tear -
WM 9980271	Flat fee for replacement of additional parts - maintenance and STK VENTImotion/ logic 10,000 hrs./4 years or 20,000 hrs - includes scheduled replacement of parts subject to wear and tear and and labor costs -
WM 9980272	Flat fee for replacement of additional parts - maintenance VENTImotion 2 10,000 hrs./4 years or 20,000 hrs/ 8 years - includes scheduled replacement of parts subject to wear and tear and labor costs -
WM 9980273	Flat fee for replacement of additional parts - maintenance BiLevel ST 22

No. 129783 - Valid from 01.03.2015

Suggested sales prices. V.A.T. excluded.

10,000 hrs./4 years or 20,000 hrs/ 8 years
- includes scheduled replacement of parts
subject to wear and tear and labor costs -

Maintenance and Safety Checks

WM 9980146

STK according to §6 MPBetreibV, VENTIllogic/
VENTImotion 2/ VENTImotion/ BiLevel ST 22